ELSEVIER

Clinica Chimica Acta 234 (1995) 185–186

Author index

Volume 234 (1995)

Aalto, M., see Matinlauri, I. **234**, 163
Ahotupa, M., see Vasankari, T. **234**, 63
Aida, S., see Itoh, K. **234**, 37
Al-Mardini, H., see Eaton, S. **234**, 71
Albertini, M.C., see Canestrari, F. **234**, 127
Almog, S., see Rotenberg, M. **234**, 11
Arnaud, J., see Portal, B. **234**, 137
Atger, V., see Fournier, N. **234**, 47

Bartlett, K., see Eaton, S. **234**, 71
Beyne, P., see Herve, C. **234**, 91
Bossù, M., see Canestrari, F. **234**, 127
Buoncristiani, U., see Canestrari, F. **234**, 127
Burmester, J.G., see Prankel, B.H. **234**, 181

Canestrari, F., U. Buoncristiani, F. Galli, A. Giorgini, M.C. Albertini, C. Carobi, M. Pascucci, M. Bossù, Redox state, antioxidative activity and lipid peroxidation in erythrocytes and plasma of chronic ambulatory peritoneal dialysis patients **234**, 127
Carobi, C., see Canestrari, F. **234**, 127
Cedrone, C., see Picarelli, A. **234**, 147
Clemens, P.C., see Prankel, B.H. **234**, 181
Corazziari, E., see Picarelli, A. **234**, 147
Coudray, C., see Portal, B. **234**, 137

Dany, S., see Rotenberg, M. **234**, 11
Delacoux, E., see Herve, C. **234**, 91
Di Giovambattista, F., see Picarelli, A. **234**, 147
Dore, I., see Rotenberg, M. **234**, 11

Eaton, S., E. Shmueli, H. Al-Mardini, K. Bartlett, C.O. Record, An HPLC assay for *sn*-1,2-diacylglycerol **234**, 71
Ekblad, U., see Matinlauri, I. **234**, 163

Favier, A., see Portal, B. **234**, 137
Formankova, J., see Michalsky, M. **234**, 101
Fournier, N., I. Myara, V. Atger, N. Moatti, Reactivity of lecithin-cholesterol acyl transferase (LCAT) towards glycated high-density lipoproteins (HDL) **234**, 47
Fujiwaki, T., S. Hamanaka, S. Tate, F. Inagaki, M. Suzuki, A. Suzuki, C. Mori, Tissue accumulation of sulfatide and G_{M3} ganglioside in a patient with variant Farber disease **234**, 23
Furuno, K., see Katsu, T. **234**, 157

Galli, F., see Canestrari, F. **234**, 127
Giorgini, A., see Canestrari, F. **234**, 127
Gomita, Y., see Katsu, T. **234**, 157
Greco, M., see Picarelli, A. **234**, 147

Haglund, C., see Ylätupa, S. **234**, 79
Haklar, G., I. Yegenaga, A.S. Yalçin, Evaluation of oxidant stress in chronic hemodialysis patients: use of different parameters **234**, 109
Hamada, Y., see Majima, K. **234**, 177
Hamanaka, S., see Fujiwaki, T. **234**, 23
Hayashi, T., see Tamei, H. **234**, 115
Heinonen, O., see Vasankari, T. **234**, 63
Herve, C., P. Beyne, Ph. Lettéron, E. Delacoux, Comparison of erythrocyte transketolase activity with thiamine and thiamine phosphate ester levels in chronic alcoholic patients **234**, 91
Higashimoto, H., A. Ouchi, R. Kawaguchi, Detection of the three common mutations of adeninephosphoribosyltransferase deficiency among Japanese **234**, 1
Horie, Y., M. Norimoto, F. Tajima, H. Sasaki, E. Nanba, H. Kawasaki, Clinical usefulness of cimetidine treatment for acute relapse in intermittent porphyria **234**, 171
Hoshino, T., see Tamei, H. **234**, 115

Inagaki, F., see Fujiwaki, T. **234**, 23
Irjala, K., see Matinlauri, I. **234**, 163
Ishida, N., see Itoh, K. **234**, 37
Ishiwata, S., see Itoh, K. **234**, 37

Itoh, K., S. Aida, S. Ishiwata, T. Yamaguchi, N. Ishida, M. Mizugaki, Immunochemical detection of urinary 5-methyl-2′- deoxycytidine as a potential biologic marker for leukemia **234**, 37
Iwata, K., see Tamei, H. **234**, 115

Kapanen, J., see Vasankari, T. **234**, 63
Katsu, T., K. Furuno, S. Yamashita, H. Kawasaki, Y. Gomita, Y. Ohtsuka, S. Ohtahara, Ion-selective electrode for serum bromide assay in patients with epilepsy **234**, 157
Kawaguchi, R., see Higashimoto, H. **234**, 1
Kawamura, Y., see Majima, K. **234**, 177
Kawasaki, H., see Horie, Y. **234**, 171
Kawasaki, H., see Katsu, T. **234**, 157
Kikuchi, T., see Majima, K. **234**, 177
Kitahata, S., see Majima, K. **234**, 177
Koskinen, P., see Matinlauri, I. **234**, 163
Kujala, U., see Vasankari, T. **234**, 63

Lettéron, Ph., see Herve, C. **234**, 91

Mäenpää, K., see Matinlauri, I. **234**, 163
Majima, K., S. Teshima, Y. Hamada, T. Kikuchi, Y. Kawamura, S. Kitahata, Determination of α-amylase using a new blocked substrate (2-chloro-4-nitrophenyl 4^4-*O*-β-D-galactopyranosyl-β-maltotetraoside) **234**, 177
Matinlauri, I., U. Ekblad, K. Mäenpää, P. Koskinen, M. Aalto, O. Peltola, K. Irjala, Total renin in pre-eclampsia **234**, 163
Mertaniemi, P., see Ylätupa, S. **234**, 79
Michalsky, M., J.J. Stepan, H. Wilczek, J. Formankova, L. Moro, Galactosyl hydroxylysine in assessment of Paget's bone disease **234**, 101
Mizugaki, M., see Itoh, K. **234**, 37
Moatti, N., see Fournier, N. **234**, 47
Mori, C., see Fujiwaki, T. **234**, 23
Moro, L., see Michalsky, M. **234**, 101
Myara, I., see Fournier, N. **234**, 47

Nanba, E., see Horie, Y. **234**, 171
Norimoto, M., see Horie, Y. **234**, 171

Ohtahara, S., see Katsu, T. **234**, 157
Ohtsuka, Y., see Katsu, T. **234**, 157
Ouchi, A., see Higashimoto, H. **234**, 1

Partanen, P., see Ylätupa, S. **234**, 79
Pascucci, M., see Canestrari, F. **234**, 127
Peltola, O., see Matinlauri, I. **234**, 163
Picarelli, A., M. Greco, F. Di Giovambattista, A. Ramazzotti, C. Cedrone, E. Corazziari, A. Torsoli, Quantitative determination of faecal fat, nitrogen and water by means of a spectrophotometric technique: near infrared reflectance analysis (NIRA). Assessment of its accuracy and reproducibility compared with chemical methods **234**, 147
Portal, B., M.-J. Richard, C. Coudray, J. Arnaud, A. Favier, Effect of double-blind crossover selenium supplementation on lipid peroxidation markers in cystic fibrosis patients **234**, 137
Prankel, B.H., P.C. Clemens, J.G. Burmester, Urinary excretion of nucleosides varies with age and protein metabolism **234**, 181

Ramazzotti, A., see Picarelli, A. **234**, 147
Record, C.O., see Eaton, S. **234**, 71
Richard, M.-J., see Portal, B. **234**, 137
Rotenberg, M., M. Shefi, S. Dany, I. Dore, M. Tirosh, S. Almog, Differentiation between organophosphate and carbamate poisoning **234**, 11

Sasaki, H., see Horie, Y. **234**, 171
Shefi, M., see Rotenberg, M. **234**, 11
Shmueli, E., see Eaton, S. **234**, 71
Stepan, J.J., see Michalsky, M. **234**, 101
Suzuki, A., see Fujiwaki, T. **234**, 23
Suzuki, K., see Tamei, H. **234**, 115
Suzuki, M., see Fujiwaki, T. **234**, 23

Tajima, F., see Horie, Y. **234**, 171
Tamei, H., T. Hoshino, S. Yoshida, T. Hayashi, K. Iwata, K. Suzuki, One-step sandwich enzyme immunoassays for human C4b-binding protein (C4BP) and protein S-C4BP complex using monoclonal antibodies **234**, 115
Tate, S., see Fujiwaki, T. **234**, 23
Teshima, S., see Majima, K. **234**, 177
Tirosh, M., see Rotenberg, M. **234**, 11
Torsoli, A., see Picarelli, A. **234**, 147

Vasankari, T., U. Kujala, O. Heinonen, J. Kapanen, M. Ahotupa, Measurement of serum lipid peroxidation during exercise using three different methods: diene conjugation, thiobarbituric acid reactive material and fluorescent chromolipids **234**, 63

Wilczek, H., see Michalsky, M. **234**, 101

Yalçin, A.S., see Haklar, G. **234**, 109
Yamaguchi, T., see Itoh, K. **234**, 37
Yamashita, S., see Katsu, T. **234**, 157
Yeğenağa, I., see Haklar, G. **234**, 109
Ylätupa, S., P. Mertaniemi, C. Haglund, P. Partanen, An improved method for quantification of extra domain A-containing cellular fibronectin (EDAcFN) in different body fluids **234**, 79
Yoshida, S., see Tamei, H. **234**, 115

ELSEVIER

Clinica Chimica Acta 234 (1995) 187–190

Subject index

Volume 234 (1995)

Acute intermittent porphyria; Cimetidine; Porphyria **234**, 171

Allele specific oligonucleotide; Purine metabolism; Dot blot hybridization; Germline mutation; DNA Sequencing; APRT deficiency **234**, 1

α-Amylase; 2-Chloro-4-nitrophenyl 4⁴-*O*-β-D-galactopyranosyl-β-maltotetraoside **234**, 177

APRT deficiency; Purine metabolism; Allele specific oligonucleotide; Dot blot hybridization; Germline mutation; DNA Sequencing **234**, 1

Bisphosphonates; Galactosyl hydroxylysine; Hydroxyproline; Indices of bone resorption; Paget's bone disease; Standardization; Urinary cross-links **234**, 101

Blood analysis; Ion-selective electrode; Bromide; Serum; Therapeutic drug monitoring; Epilepsy **234**, 157

Body fluids; Fibronectin; Extra domain A; Immunoassay; Plasma; Serum **234**, 79

Bromide; Ion-selective electrode; Blood analysis; Serum; Therapeutic drug monitoring; Epilepsy **234**, 157

C4b-binding protein; Sandwich enzyme immunoassay; Monoclonal antibody; Protein S; Protein S-C4BP complex **234**, 115

Carbamates; Cholinesterase inhibition; Organophosphates; Cholinesterase assay **234**, 11

Ceramide; Sphingolipidosis; Farber disease; Sulfatide; G_{M3} ganglioside **234**, 23

2-Chloro-4-nitrophenyl 4⁴-*O*-β-D-galactopyranosyl-β-maltotetraoside; α-Amylase **234**, 177

Cholinesterase assay; Cholinesterase inhibition; Carbamates; Organophosphates **234**, 11

Cholinesterase inhibition; Carbamates; Organophosphates; Cholinesterase assay **234**, 11

Chronic alcoholism; Erythrocytes; Transketolase; Thiamine diphosphate effect; Thiamine; Thiamine phosphate esters **234**, 91

Chronic ambulatory peritoneal dialysis (CAPD); Uremic anemia; Reduced glutathione (GSH); Oxidized glutathione (GSSG); Lipid peroxidation; Glutathione peroxidase; Hexose monophosphate shunt **234**, 127

Cimetidine; Acute intermittent porphyria; Porphyria **234**, 171

Cystic fibrosis; Lipid peroxidation; Selenium supplementation; Oxidative stress **234**, 137

1,2-Diacylglycerol; Muscle needle biopsy; Protein kinase C signalling **234**, 71

Diene conjugates; Hemodialysis; Hydroxyalkanals; Hydroxyalkenals; Protein oxidation; Thiobarbituric acid reactive substances **234**, 109

Diene conjugation; Exercise; Fluorescent chromolipids; Lipid peroxidation; Thiobarbituric acid reactive material **234**, 63

DNA sequencing; Purine metabolism; Allele specific oligonucleotide; Dot blot hybridization; Germline mutation; APRT deficiency **234**, 1

Dot blot hybridization; Purine metabolism; Allele specific oligonucleotide; Germline mutation; DNA Sequencing; APRT deficiency **234**, 1

Epilepsy; Ion-selective electrode; Bromide; Blood analysis; Serum; Therapeutic drug monitoring **234**, 157

Erythrocytes; Transketolase; Thiamine diphosphate effect; Thiamine; Thiamine phosphate esters; Chronic alcoholism **234**, 91

Exercise; Diene conjugation; Fluorescent chromolipids; Lipid peroxidation; Thiobarbituric acid reactive material **234**, 63

Extra domain A; Fibronectin; Immunoassay; Plasma; Serum; Body fluids **234**, 79

Faecal fat; NIRA; Maldigestion; Malabsorption; Steatorrhea; Infrared reflectance **234**, 147

Farber disease; Sphingolipidosis; Ceramide; Sulfatide; G_{M3} ganglioside **234**, 23

Fibronectin; Extra domain A; Immunoassay; Plasma; Serum; Body fluids **234**, 79

Fluorescent chromolipids; Diene conjugation; Exercise; Lipid peroxidation; Thiobarbituric acid reactive material **234**, 63

G_{M3} ganglioside; Sphingolipidosis; Farber disease; Ceramide; Sulfatide **234**, 23

Galactosyl hydroxylysine; Bisphosphonates; Hydroxyproline; Indices of bone resorption; Paget's bone disease; Standardization; Urinary cross-links **234**, 101

Germline mutation; Purine metabolism; Allele specific oligonucleotide; Dot blot hybridization; DNA Sequencing; APRT deficiency **234**, 1

Glutathione peroxidase; Uremic anemia; Chronic ambulatory peritoneal dialysis (CAPD); Reduced glutathione (GSH); Oxidized glutathione (GSSG); Lipid peroxidation; Hexose monophosphate shunt **234**, 127

Glycation; High density lipoprotein; HDL; Lecithin-cholesterol acyl transferase; LCAT **234**, 47

HDL; High density lipoprotein; Lecithin-cholesterol acyl transferase; LCAT; Glycation **234**, 47

Hemodialysis; Diene conjugates; Hydroxyalkanals; Hydroxyalkenals; Protein oxidation; Thiobarbituric acid reactive substances **234**, 109

Hexose monophosphate shunt; Uremic anemia; Chronic ambulatory peritoneal dialysis (CAPD); Reduced glutathione (GSH); Oxidized glutathione (GSSG); Lipid peroxidation; Glutathione peroxidase **234**, 127

High density lipoprotein; HDL; Lecithin-cholesterol acyl transferase; LCAT; Glycation **234**, 47

Human urine; Modified nucleosides; 5-Methyl-2′-deoxycytidine; Monoclonal antibody; Marker for leukemia **234**, 37

Hydroxyalkanals; Diene conjugates; Hemodialysis; Hydroxyalkenals; Protein oxidation; Thiobarbituric acid reactive substances **234**, 109

Hydroxyalkenals; Diene conjugates; Hemodialysis; Hydroxyalkanals; Protein oxidation; Thiobarbituric acid reactive substances **234**, 109

Hydroxyproline; Bisphosphonates; Galactosyl hydroxylysine; Indices of bone resorption; Paget's bone disease; Standardization; Urinary cross-links **234**, 101

Immunoassay; Fibronectin; Extra domain A; Plasma; Serum; Body fluids **234**, 79

Indices of bone resorption; Bisphosphonates; Galactosyl hydroxylysine; Hydroxyproline; Paget's bone disease; Standardization; Urinary cross-links **234**, 101

Infrared reflectance; NIRA; Faecal fat; Maldigestion; Malabsorption; Steatorrhea **234**, 147

Ion-selective electrode; Bromide; Blood analysis; Serum; Therapeutic drug monitoring; Epilepsy **234**, 157

LCAT; High density lipoprotein; HDL; Lecithin-cholesterol acyl transferase; Glycation **234**, 47

Lecithin-cholesterol acyl transferase; High density lipoprotein; HDL; LCAT; Glycation **234**, 47

Lipid peroxidation; Diene conjugation; Exercise; Fluorescent chromolipids; Thiobarbituric acid reactive material **234**, 63

Lipid peroxidation; Selenium supplementation; Cystic fibrosis; Oxidative stress **234**, 137

Lipid peroxidation; Uremic anemia; Chronic ambulatory peritoneal dialysis (CAPD); Reduced glutathione (GSH); Oxidized glutathione (GSSG); Glutathione peroxidase; Hexose monophosphate shunt **234**, 127

Malabsorption; NIRA; Faecal fat; Maldigestion; Steatorrhea; Infrared reflectance **234**, 147

Maldigestion; NIRA; Faecal fat; Malabsorption; Steatorrhea; Infrared reflectance **234**, 147

Marker for leukemia; Modified nucleosides; 5-Methyl-2′-deoxycytidine; Monoclonal antibody; Human urine **234**, 37

5-Methyl-2′-deoxycytidine; Modified nucleosides; Monoclonal antibody; Human urine; Marker for leukemia **234**, 37

Modified nucleosides; 5-Methyl-2′-deoxycytidine; Monoclonal antibody; Human urine; Marker for leukemia **234**, 37

Monoclonal antibody; Modified nucleosides; 5-Methyl-2′-deoxycytidine; Human urine; Marker for leukemia **234**, 37

Monoclonal antibody; Sandwich enzyme immunoassay; C4b-binding protein; Protein S; Protein S-C4BP complex **234**, 115

Muscle needle biopsy; 1,2-Diacylglycerol; Protein kinase C signalling **234**, 71

NIRA; Faecal fat; Maldigestion; Malabsorption; Steatorrhea; Infrared reflectance **234**, 147

Normal pregnancy; Total renin; Uric acid; Preeclampsia **234**, 163

Organophosphates; Cholinesterase inhibition; Carbamates; Cholinesterase assay **234**, 11

Oxidative stress; Lipid peroxidation; Selenium supplementation; Cystic fibrosis **234**, 137

Oxidized glutathione (GSSG); Uremic anemia; Chronic ambulatory peritoneal dialysis (CAPD); Reduced glutathione (GSH); Lipid peroxidation; Glutathione peroxidase; Hexose monophosphate shunt **234**, 127

Paget's bone disease; Bisphosphonates; Galactosyl hydroxylysine; Hydroxyproline; Indices of bone resorption; Standardization; Urinary cross-links **234**, 101

Phenylketonuria; Protein metabolism; Urinary excretion of nucleosides and nucleobases **234**, 181

Plasma; Fibronectin; Extra domain A; Immunoassay; Serum; Body fluids **234**, 79

Porphyria; Cimetidine; Acute intermittent porphyria **234**, 171

Pre-eclampsia; Total renin; Uric acid; Normal pregnancy **234**, 163

Protein kinase C signalling; 1,2-Diacylglycerol; Muscle needle biopsy **234**, 71

Protein metabolism; Phenylketonuria; Urinary excretion of nucleosides and nucleobases **234**, 181

Protein oxidation; Diene conjugates; Hemodialysis; Hydroxyalkanals; Hydroxyalkenals; Thiobarbituric acid reactive substances **234**, 109

Protein S; Sandwich enzyme immunoassay; Monoclonal antibody; C4b-binding protein; Protein S-C4BP complex **234**, 115

Protein S-C4BP complex; Sandwich enzyme immunoassay; Monoclonal antibody; C4b-binding protein; Protein S **234**, 115

Purine metabolism; Allele specific oligonucleotide; Dot blot hybridization; Germline mutation; DNA Sequencing; APRT deficiency **234**, 1

Reduced glutathione (GSH); Uremic anemia; Chronic ambulatory peritoneal dialysis (CAPD); Oxidized glutathione (GSSG); Lipid peroxida-

tion; Glutathione peroxidase; Hexose monophosphate shunt **234**, 127

Sandwich enzyme immunoassay; Monoclonal antibody; C4b-binding protein; Protein S; Protein S-C4BP complex **234**, 115

Selenium supplementation; Lipid peroxidation; Cystic fibrosis; Oxidative stress **234**, 137

Serum; Fibronectin; Extra domain A; Immunoassay; Plasma; Body fluids **234**, 79

Serum; Ion-selective electrode; Bromide; Blood analysis; Therapeutic drug monitoring; Epilepsy **234**, 157

Sphingolipidosis; Farber disease; Ceramide; Sulfatide; G_{M3} ganglioside **234**, 23

Standardization; Bisphosphonates; Galactosyl hydroxylysine; Hydroxyproline; Indices of bone resorption; Paget's bone disease; Urinary cross-links **234**, 101

Steatorrhea; NIRA; Faecal fat; Maldigestion; Malabsorption; Infrared reflectance **234**, 147

Sulfatide; Sphingolipidosis; Farber disease; Ceramide; G_{M3} ganglioside **234**, 23

Therapeutic drug monitoring; Ion-selective electrode; Bromide; Blood analysis; Serum; Epilepsy **234**, 157

Thiamine; Erythrocytes; Transketolase; Thiamine diphosphate effect; Thiamine phosphate esters; Chronic alcoholism **234**, 91

Thiamine diphosphate effect; Erythrocytes; Transketolase; Thiamine; Thiamine phosphate esters; Chronic alcoholism **234**, 91

Thiamine phosphate esters; Erythrocytes; Transketolase; Thiamine diphosphate effect; Thiamine; Chronic alcoholism **234**, 91

Thiobarbituric acid reactive material; Diene conjugation; Exercise; Fluorescent chromolipids; Lipid peroxidation **234**, 63

Thiobarbituric acid reactive substances; Diene conjugates; Hemodialysis; Hydroxyalkanals; Hydroxyalkenals; Protein oxidation **234**, 109

Total renin; Uric acid; Normal pregnancy; Preeclampsia **234**, 163

Transketolase; Erythrocytes; Thiamine diphosphate effect; Thiamine; Thiamine phosphate esters; Chronic alcoholism **234**, 91

Uremic anemia; Chronic ambulatory peritoneal dialysis (CAPD); Reduced glutathione (GSH); Oxidized glutathione (GSSG); Lipid peroxidation; Glutathione peroxidase; Hexose monophosphate shunt **234**, 127

Uric acid; Total renin; Normal pregnancy; Preeclampsia **234**, 163

Urinary cross-links; Bisphosphonates; Galactosyl hydroxylysine; Hydroxyproline; Indices of bone resorption; Paget's bone disease; Standardization **234**, 101

Urinary excretion of nucleosides and nucleobases; Phenylketonuria; Protein metabolism **234**, 181